

PV and PV/Hybrid Products for Buildings

H.P. Thomas and S.J. Hayter
National Renewable Energy Laboratory

R.L. Martin and L.K. Pierce
U.S. Department of Energy, Golden Field Office

*Presented at the 16th European Photovoltaic Solar
Energy Conference and Exhibition
Glasgow, Scotland, U.K.
May 1-5, 2000*



NREL

National Renewable Energy Laboratory

1617 Cole Boulevard
Golden, Colorado 80401-3393

NREL is a U.S. Department of Energy Laboratory
Operated by Midwest Research Institute • Battelle • Bechtel

Contract No. DE-AC36-99-GO10337

NOTICE

The submitted manuscript has been offered by an employee of the Midwest Research Institute (MRI), a contractor of the US Government under Contract No. DE-AC36-99GO10337. Accordingly, the US Government and MRI retain a nonexclusive royalty-free license to publish or reproduce the published form of this contribution, or allow others to do so, for US Government purposes.

This report was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States government or any agency thereof.

Available electronically at <http://www.doe.gov/bridge>

Available for a processing fee to U.S. Department of Energy
and its contractors, in paper, from:

U.S. Department of Energy
Office of Scientific and Technical Information
P.O. Box 62
Oak Ridge, TN 37831-0062
phone: 865.576.8401
fax: 865.576.5728
email: reports@adonis.osti.gov

Available for sale to the public, in paper, from:

U.S. Department of Commerce
National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
phone: 800.553.6847
fax: 703.605.6900
email: orders@ntis.fedworld.gov
online ordering: <http://www.ntis.gov/ordering.htm>



PV AND PV/HYBRID PRODUCTS FOR BUILDINGS

H.P. Thomas,* S.J. Hayter
National Renewable Energy Laboratory
1617 Cole Boulevard
Golden, CO USA 80401

R.L. Martin, L.K. Pierce
U.S. Department of Energy, Golden Field Office
1617 Cole Boulevard
Golden, CO USA 80401

ABSTRACT: Residential, commercial, and industrial buildings combined are the largest consumers of electricity in the United States and represent a significant opportunity for photovoltaic (PV) and PV/hybrid systems. The U.S. Department of Energy (DOE) is conducting a phased research and product development program, Building Opportunities in the United States for Photovoltaics (PV:BONUS), focused on this market sector. The purpose of the program is to develop technologies and foster business arrangements integrating cost-effective PV or hybrid products into buildings. The first phase was completed in 1996 and a second solicitation, PV:BONUS2, was initiated during 1997. These projects are resulting in a variety of building-integrated products. This paper summarizes the recent progress of the seven firms and collaborative teams currently participating in PV:BONUS2 and outlines planned work for the final phase of their work.

Keywords: Building Integration - 1: PV System - 2: Manufacturing and Processing -3.

1. INTRODUCTION

The buildings sector in the United States requires nearly one-third of the nation's total annual energy budget. This sector also consumes about two-thirds of the total annual electricity production (Figure 1) [1]. Because this sector has a large portion of the market, improvements to reduce conventional energy demands can have a significant effect. PV and other renewable approaches can be incorporated into building products to reduce this demand.




Figure 1. Illustration of 1997 electricity end-use flow in quadrillion Btu [1]

To address the opportunity, the U.S. Department of Energy (DOE) initiated a program, Building Opportunities in the United States for PV (PV:BONUS), in 1993. The goal is to develop new and innovative PV and PV/hybrid product concepts. Program objectives are to develop technologies and foster business arrangements to cost-effectively integrate PV or hybrid products into buildings. An important factor is

that these products must be installed without the need for specialized training.

The PV:BONUS program has consisted of two solicitations. The first solicitation, PV:BONUS, was completed in 1996, with total government funding of \$7.9 million. The five industry partners selected for PV:BONUS committed a total of \$9.0 million. The results from this work are described in a previous paper [2].

The second solicitation, PV:BONUS2, is a five-year program now in the second of three planned phases of development. Cooperative agreements were negotiated with successful bidders to initiate Phase 1, "Concept Development and Business Planning." Prototype systems were developed and tested in Phase 2, the "Product and Business Development" stage. The final phase is "Product Demonstration and Marketing," when commercially viable products are expected. Only those manufacturers successful in Phase 1 could compete in Phase 2, and these results, along with plans for Phase 3, formed the basis for selecting which manufacturers receive support for Phase 3. Through Phase 2, DOE funding for PV:BONUS2 totals \$6.6 million. Phase 1 required a 20% cost share, and Phase 2 required a minimum of 50% cost share. This paper reviews the PV:BONUS2 progress to date.

2. BUILDING OPPORTUNITIES IN THE U.S. FOR PV -- PHASE 2 (PV:BONUS2)

PV:BONUS2 was initiated during 1997 with Phase 1. Through competitive selection, 17 firms participated. This phase included tasks to develop a product concept; product manufacturing or fabrication and installation cost estimates; business planning; and a market assessment for the proposed product, including target selling prices, target market sectors, size estimates for each market sector, and planned distribution mechanisms for market penetration. Each participant had about 9 months to complete this phase.

Table 1: List of PV:BONUS2 firms and teams, topics of their work, and participation by Phase.

Company	Topic	PV:BONUS2	PV:BONUS2	PV:BONUS2
		- Phase 1	-Phase 2	-Phase 3
1. Advanced Energy, Inc.	PV string inverters	✓	✓	
2. Ascension Technology, Inc.	Ballasted PV arrays	✓	✓	
3. AstroPower, Inc.	PV/glazing design	✓		
4. BP Solarex	PV/lighting (3 BIPV products)	✓	✓	✓
5. Delmarva Power & Light Co.	AC PV modules	✓		
6. Energy Conversion Devices, Inc.	PV/thermal solar metal roofing System	✓		
7. Kiss + Cathcart, Architects	Patterning system for thin-film PV	✓		
8. Evergreen Solar, Inc.	PV with flashing	✓		
9. Global Solar Energy, LLC	Flexible CIGS PV films	✓		
10. Omnion Power Engineering Corp.	Uninterruptible Power Supply/PV	✓		
11. PowerLight Corp.	PV roofing with insulation	✓	✓	✓
12. Sage Electrochromics	PV electrochromic windows	✓	✓	✓
13. Solar Design Associates, Inc.	PV/thermal hybrid	✓	✓	✓
14. Springborn Testing & Research, Inc.	Flame-retardant PV encapsulant	✓		
15. TerraSun LLC	Transparent PV	✓		
16. United Solar Systems Corp.	Field-applied PV roof membrane	✓	✓	✓
17. United Solar Technologies, Inc.	Dish concentrator	✓		

2.1 Phase 1 - Concept Development and Business Planning

Table 1 lists the 17 companies, along with project titles, that participated in Phase 1 of PV:BONUS2. Only the lead proposer is listed, but several projects are a team effort.

2.2 Phase 2 - Product and Business Development

The second phase of PV:BONUS2 was initiated during 1998. This phase includes detailed product development, test plan development, fabrication and testing of pre-production prototypes and components; system-level design; system-level testing in cooperation with the National Renewable Energy Laboratory (NREL) and/or Sandia National Laboratories; commercial team development; and further refinement of a business and marketing plan. Additionally, Phase 2 includes development of a test and acceptance plan for the commercial product and development of a production plan for demonstration and market entry. Of the 17 companies eligible to participate from Phase 1, 7 were competitively selected for Phase 2. Table 1 indicates these participants. Descriptions of their accomplishments follow, listed in alphabetical order of company.

Advanced Energy, Inc., refined the design of their 1-kW grid-interactive PV inverter, the GC-1000. This unit integrates the string combiner, AC and DC disconnect, and DC ground-fault detector into one unit. During this phase, the unit received an Underwriters Laboratories (UL) listing, and units are being installed through a market arrangement with panel manufacturers, system integrators, and PV dealers throughout the United States. Models meeting European specifications will be available soon.

Ascension Technology, Inc., Division of Applied Power Corp. (APC), refined the design of their ballast-mounting for PV arrays to eliminate possible movement of their zero-penetration mounting approach under high winds. Computer analysis and physical testing confirmed design changes. The improved approach was demonstrated in a 4-kW school system and is now part of the standard installation method.

BP Solarex teamed with Kawaneer, Solar Design Associates, and Viracon to develop building-integrated PV (BIPV) products using tandem-junction a-Si PV modules. These products include an opaque spandrel curtain wall, an insulated viewglass window termed PowerView (Figure 2), and a power sunshade. Recent accomplishments include

cutting the coated glass using a water-jet approach and heat-strengthening the glass after processing. This team has also developed analysis software to assist customers in determining the expected benefits from these products.

The fourth company in this group, *PowerLight Corporation*, is working to complete development of two products. HeatGuard™ is an interlocking, insulating roof tile



Figure 2: Prototype BP Solarex PowerView, an insulated viewglass window developed in PV:BONUS2.

that allows only 1% of the thermal insolation into the building. Tests of HeatGuard™ compared to other roofing materials illustrate a significant cost savings. PowerLight is also developing a combined PV/thermal hybrid system, termed PowerTherm™. This medium-temperature system is designed for commercial domestic hot-water loads and desiccant refrigeration. This combined solar thermal and PV product uses an amorphous silicon (a-Si) PV module as the front surface and is illustrated in Figure 3.

Sage Electrochromics, with team members BP Solarex, Viracon, and Libbey-Owens-Ford, is working to develop PV-powered electrochromic (EC) windows. During Phase 2, Sage



Figure 3: The PowerTherm™ combines solar thermal and PV electric power

established a pilot facility at the Viracon glass-coating plant, developed a variable control for the PV-powered EC window, and simplified the design. Skylight-sized substrates that are 4.8 cm x 99 cm (19-in. x 39-in.) have been processed in the new pilot line.

Solar Design Associates (SDA) is working with United Solar Systems Corp. (USSC) and SunEarth Inc. to develop a hybrid PV/thermal product, called Phototherm. It is a unitized combination of a liquid thermal collector and the USSC triple-junction a-Si thin-film module. Phototherm resembles a traditional solar thermal design, except that the PV module replaces the top surface of the absorber plate. The current Phototherm product is designed for installation on an existing rooftop. A BIPV product is under development and will be demonstrated at the EPI Center Building planned for construction at the University of Montana in 2001.

The objective of *United Solar Systems Corp. (USSC)* effort is to develop a field-applied, flexible PV membrane (PVM) based on their a-Si production stainless steel. During Phase 2, they completed the product design, fabricated prototypes, and developed a “peel and seal” method for applying the PVM to roofs. The product also received UL listing. Outdoor performance testing is under way.



Figure 4: Prototype Phototherm product adjacent to thermal-only collector on test.

3. PHASE 3 PLANS FOR PV:BONUS2

Of the seven firms participating in Phase 2, five are continuing work under Phase 3 of the PV:BONUS2 program, as indicated in Table 1. Two projects were not continued, as a result of funding constraints. *BP Solarex* is working to improve its fabrication of heat-strengthened glass and to develop a UL-recognized edge-connector for the PowerView product. *PowerLight* will complete testing of the production prototype of their PowerTherm™ PV-hybrid product. They will also fabricate HeatGuard™ tiles and verify the projected energy savings. *Sage* plans to enhance the performance of the EC windows and to continue developing their PV-powered automatic controls to manage transmitted light. Sage’s pilot line is planned for full operation by the end of the year. *SDA* and its team will continue testing the Phototherm PV/hybrid product, to finalize the design for installation in 2001. During its final Phase, *USSC* will establish their mass production line for the PVM, conduct production test runs, and begin installation at demonstration sites. By the end of 2000, the five teams will have defined demonstration projects for their products at several locations. All work in Phase 3 is expected to be completed by the end of 2001.

4. SUMMARY

Building designers want PV systems that can be integrated into the building envelope and blend well with other building-related components and materials. Many of the products currently being developed through the PV:BONUS2 program meet these criteria. These products are planned to be on the market during 2000. They are expected to reduce building demands for conventional energy and to meet architectural and building-code requirements.

5. ACKNOWLEDGMENTS

The PV:BONUS program is funded through the Office of Power Technologies, with support from the Office of Building Technologies, State and Community Programs, U.S. DOE, and is managed by the Golden Field Office, DOE. Technical assistance is provided by NREL, a national laboratory managed by Midwest Research Institute under DOE Contract Number DE-AC36-99GO10337. Sandia National Laboratories, Lawrence Berkeley National Laboratories, and the Florida Solar Energy Center have also contributed to this program. Many people contributed to developing and implementing this program and to the results of this program. The authors acknowledge that this paper represents their work.

REFERENCES

- [1] Energy Information Administration (EIA), U.S. Department of Energy. Data obtained from the EIA Web site, "Annual Energy Review, 1997." <<http://www.eia.doe.gov/emeu/aer>>. 10 April 2000
- [2] Hayter, S.J., R.L. Martin, "Photovoltaics for Buildings - Cutting-Edge PV," Utility PhotoVoltaic Group UPEX'98 Conference Proceedings, September 1998, San Diego, California USA.

REPORT DOCUMENTATION PAGE			Form Approved OMB NO. 0704-0188
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.			
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE May 2000	3. REPORT TYPE AND DATES COVERED conference paper	
4. TITLE AND SUBTITLE PV And PV/Hybrid Products For Buildings		5. FUNDING NUMBERS	
6. AUTHOR(S) H.P. Thomas, S.J. Hayter, R.L. Martin, and L.K. Pierce		C TA: PV008104	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)		8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) National Renewable Energy Laboratory 1617 Cole Blvd. Golden, CO 80401-3393		10. SPONSORING/MONITORING AGENCY REPORT NUMBER CP-520-28334	
11. SUPPLEMENTARY NOTES			
12a. DISTRIBUTION/AVAILABILITY STATEMENT National Technical Information Service U.S. Department of Commerce 5285 Port Royal Road Springfield, VA 22161		12b. DISTRIBUTION CODE	
13. ABSTRACT (<i>Maximum 200 words</i>) Residential, commercial, and industrial buildings combined are the largest consumers of electricity in the United States and represent a significant opportunity for photovoltaic (PV) and PV/hybrid systems. The U.S. Department of Energy (DOE) is conducting a phased research and product development program, Building Opportunities in the United States for Photovoltaics (PV:BONUS), focused on this market sector. The purpose of the program is to develop technologies and foster business arrangements integrating cost-effective PV or hybrid products into buildings. The first phase was completed in 1996 and a second solicitation, PV:BONUS2, was initiated during 1997. These projects are resulting in a variety of building-integrated products. This paper summarizes the recent progress of the seven firms and collaborative teams currently participating in PV:BONUS2 and outlines planned work for the final phase of their work.			
14. SUBJECT TERMS photovoltaics ; building integration ; PV system ; manufacturing and processing		15. NUMBER OF PAGES	
		16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT UL