

# The Integration of Renewables

## Preprint

Stanley R. Bull

*To be presented at the 1<sup>st</sup> International Conference  
on the Integration of Renewable Energy Sources and  
Distributed Energy Resources  
Brussels, Belgium  
December 1–3, 2004*



**NREL**

**National Renewable Energy Laboratory**  
1617 Cole Boulevard, Golden, Colorado 80401-3393  
303-275-3000 • [www.nrel.gov](http://www.nrel.gov)

Operated for the U.S. Department of Energy  
Office of Energy Efficiency and Renewable Energy  
by Midwest Research Institute • Battelle

Contract No. DE-AC36-99-GO10337

## NOTICE

The submitted manuscript has been offered by an employee of the Midwest Research Institute (MRI), a contractor of the US Government under Contract No. DE-AC36-99GO10337. Accordingly, the US Government and MRI retain a nonexclusive royalty-free license to publish or reproduce the published form of this contribution, or allow others to do so, for US Government purposes.

This report was prepared as an account of work sponsored by an agency of the United States government. Neither the United States government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States government or any agency thereof.

Available electronically at <http://www.osti.gov/bridge>

Available for a processing fee to U.S. Department of Energy and its contractors, in paper, from:

U.S. Department of Energy  
Office of Scientific and Technical Information  
P.O. Box 62  
Oak Ridge, TN 37831-0062  
phone: 865.576.8401  
fax: 865.576.5728  
email: <mailto:reports@adonis.osti.gov>

Available for sale to the public, in paper, from:

U.S. Department of Commerce  
National Technical Information Service  
5285 Port Royal Road  
Springfield, VA 22161  
phone: 800.553.6847  
fax: 703.605.6900  
email: [orders@ntis.fedworld.gov](mailto:orders@ntis.fedworld.gov)  
online ordering: <http://www.ntis.gov/ordering.htm>



# THE INTEGRATION OF RENEWABLES


Stanley R. Bull  
Associate Director for Science and Technology  
National Renewable Energy Laboratory  
1617 Cole Boulevard, Golden, CO 80401

## Progress in Renewable Energy Technologies

"Renewable energy" is energy derived from a broad spectrum of resources, all of which are based on self-renewing energy sources such as sunlight, wind, flowing water, the earth's internal heat, energy derived from the ocean, and biomass such as energy crops, agricultural and industrial waste, and municipal waste. These resources can be used to produce electricity for all economic sectors, fuels for transportation, and heat for buildings and industrial processes.

Renewable energy contributes 6% today to U.S. energy consumption of fuels.<sup>[1]</sup> Each renewable energy technology is in a different stage of development and commercialization. Some technologies are already commercial, at least for some situations and applications. Of the renewable energy consumed in the United States in 2003, hydropower comprised 45%; biomass, including municipal solid waste, 47%; geothermal, 5%; solar, 1%; and wind, 2%.<sup>[1]</sup>

Figure 1. U.S. Energy Consumption by Fuel — 2003



Source: EIA Renewable Energy Trends with Preliminary Data, Figure 1. The Role of Renewable Energy Consumption in the Nation's Energy Supply, 2003

Renewable energy technologies offer important benefits compared to those of conventional energy sources. Renewable energy resources are abundant; worldwide, one thousand times more energy reaches the surface of the earth from the sun than is released today by all fossil fuels consumed. Similar to fossil fuels, renewable energy resources are not uniformly distributed throughout the world. However, every region has some renewable energy resource. And, because different renewable energy resources complement each other, taken together they can contribute appreciably to energy security and regional development in every nation of the world, without dependence on foreign energy sources that are subject to political instability or manipulation.

Most renewable energy systems are modular, allowing flexibility in matching load growth. Today's markets for renewable energy technologies range from specialized niche markets to centralized energy production. For centralized energy production, renewable energy systems are relatively capital intensive compared to competing conventional technologies such as natural-gas combined-cycle power plants. However, after the initial investments have been made, the economics of renewable energy technologies improve in comparison with conventional technologies because operating and maintenance costs are low compared with those incurred using conventional fuels. This is especially true in the regions of the world where world fuel prices are relatively high, and will be especially true in the future as fuel prices increase. For both solar and wind systems, the fuel cost is not only constant, it is zero, for the life of the system.

Renewable energy systems generate little if any waste or pollutants that contribute to acid rain, urban smog, and health problems, and do not require environmental cleanup costs or waste disposal fees. Potential global climate change, caused by anthropogenic carbon dioxide and other gases in the atmosphere, is an environmental concern; systems using solar, wind, and geothermal sources do not contribute carbon dioxide to the atmosphere.<sup>[2]</sup> Biomass does release carbon dioxide when it is converted to energy, but because biomass absorbs carbon dioxide as it grows, the entire process of growing, using, and re-growing biomass results in very low to zero carbon dioxide emissions.

Although the energy of the sun and wind has been used by mankind for millennia, modern applications of renewable energy technologies have been under serious development for only about 20 years. In that period of research and development investment by industry and government (primarily the U.S. Department of Energy [DOE]), dramatic improvements have occurred in the cost, performance, and reliability of renewable energy systems.

### **Today's Trends and Issues Affecting Renewables**

As is evident from the preceding discussion, scientific and engineering advances continue to strongly influence the progress of renewable energy technology development, as do advances in information technology. Easily accessed World Wide Web sites relating to renewable energy technologies provide valuable and accurate information that is easily accessible by everyone. Real-time metering is opening up innovative electricity pricing; sophisticated equipment and controls are improving the use of energy in buildings; and complex systems are being modeled in the laboratory, accelerating technology development.

But despite the excellent technical progress of the last 20 years, electricity and fuels from renewable energy are still generally more expensive than electricity and fuels from conventional fossil-fuel sources, with some exceptions. Table 1 summarizes the projected costs of major renewable energy electric systems. Although it is difficult to compare costs of electricity from renewable technologies to those of conventional grid electricity, it should be noted that the average retail price of electricity in the United States is approximately 7¢/kWh, which is less than most renewables. The cost of electricity and fuels

from renewable energy would easily be less expensive than fossil fuels if the true, hidden costs of fossil fuels—environmental costs, health costs, and energy security costs—were considered. But our society has not yet found acceptable ways to incorporate these costs into the cost of energy.

**Table 1. Renewable Energy Costs**

<b>Electricity Technology</b>	<b>Costs (¢/kWh)</b>		
	<b>Today</b>	<b>2010</b>	<b>2020</b>
Wind	3–5¢ @ 15 mph	3¢ (2012) @ 13 mph	5¢ (> 2012) offshore
Solar			
PV	24–30¢	12–14¢	6–8¢
CSP	10¢	6¢	4–5¢
Geothermal	5–8¢	3–5¢ (2007)	–

To encourage the use of renewable energy electricity in the United States, policy measures will be needed. The most prominent measure under consideration is the renewables portfolio standard that has been adopted by 16 states in the U.S., a market-based mechanism for ensuring a minimum level of renewable energy development in the electricity portfolios of power suppliers as determined by a state or other implementing entity. Electricity sellers could meet their obligation through direct ownership of renewable generation, contracts for power from renewable generating facilities, or purchase of credits for sufficient renewable electricity from another power supplier.

### **Integration with Distributed Generation**

Distributed power is modular electric generation from relatively small generating systems ranging from less than a kilowatt to tens of megawatts and located at or near consumer sites. Distributed systems can either be grid connected or operate independent of the grid. The goal of proponents of distributed power is to reinvent the power grid so that instead of producing electricity only at large, central plants and transmitting it in one direction, consumers would have some degree of energy independence and open the system to millions of small suppliers.

With distributed power, homes and businesses could produce power using technologies such as fuel cells, photovoltaic systems, wind turbines, biomass-based generators, microturbines, engine/generator sets, and electric storage systems. Excess power could be sold to the grid adding to grid capacity and consumers could obtain power from the grid when needed or desired.

The benefits of distributed power systems are seen to be reliability of service and power quality. In addition, greater efficiency of energy use is realized by using the heat loss from the power generation system. With blackouts in parts of the country, one of the biggest drivers today for distributed power is that it can serve as a standby generator or as an uninterruptible power supply. More and more consumers are in need of electric service 24 hours a day, 7 days a week without interruption. Distributed power offers an approach to this need.

There are barriers to robust implementation of distributed power. The key barrier today is interconnection with the grid. The Institute of Electrical and Electronics Engineers led the development of a consensus standard for interconnection. This standard, IEEE 1547 Standard for Interconnecting Distributed Resources with Electric Power Systems adopted in June 2003, is intended to ensure that distributed systems operate safely and reliably and are applied in a uniform way across the U.S. power system. With

this standard and associated testing in place, the installation and operation of distributed systems will be streamlined.

### Integration with Hydrogen and Fuel Cells


Hydrogen today is produced from natural gas for limited markets but it can be produced from renewable sources and promises substantial contributions to global energy supplies in the long term. Hydrogen is the most abundant element in the universe, the simplest chemical fuel (essentially a hydrocarbon without the carbon) that makes a highly efficient, clean-burning energy carrier. It has the potential to fuel transportation vehicles with zero emissions, provide process heat for industrial processes, supply domestic heat through cogeneration, help produce electricity for centralized or distributed power systems, and provide a storage medium for electricity from renewable energy sources. The U.S. government has launched a national initiative to develop the hydrogen economy.

Research challenges include cost-effective, energy-efficient production technologies and safe, economical storage and transportation technologies. Major advances have occurred recently in both production and storage technologies for hydrogen. Researchers have doubled the previous efficiency of producing hydrogen from water and have made major advances in carbon nanotube storage technology.<sup>[3,4]</sup>

### Tomorrow's Impact of Renewable Energy on the World

From the dawn of human civilization to about 100 years ago, the sources of energy used by mankind were predominantly human and animal muscle and wood, with lesser amounts of solar, wind, hydro, and geothermal. With the discovery of oil, the development of natural gas fields, and the widespread distribution of electricity from coal-powered central power plants, fossil fuels became the predominant sources of energy in the United States and the world. Is there another major transition ahead for energy? Can the renewable resources that sustained early civilization be harnessed with enough efficiency and availability and at a cost to meet a significant portion of the much higher energy needs of today's society?

Figure 2 illustrates the worldwide rapid growth of wind and photovoltaic energy systems. Over the past 5 years, these growth rates have exceeded 30%. If these growth rates are projected into the future, the contribution in the world's energy mix can indeed be substantial.



**Figure 2. Historical and Projected Growth of Wind and Photovoltaic Energy Systems**

## Summary

Within the broad variety of technologies that constitute renewable energy, some are already making large inroads in the marketplace. Other technologies, perhaps those most beneficial to a sustainable future, are further from commercialization. Most, however, are progressing more quickly than ever; there are no technical stumbling blocks for renewable energy. Renewable energy is a force today and *will* be a major force in the world's future—the only question is when. The answer will depend only on the will of the people for clean energy—or the next major energy supply disruption.

## References

1. *Annual Energy Outlook 2004*. U.S. Department of Energy, DOE/EIA-0383(2004), January 2004. Tables A1 and A2. Also see the *Renewable Energy Annual 1999*, DOE/EIA-0603(99), March 2000. Both are available through <http://www.eia.doe.gov/>. *Annual Energy Review 2003*. U.S. Department of Energy, DOE/EIA-0384(2003), September 13, 2004. Table 1.3. <http://www.eia.doe.gov/>.
2. *Technology Opportunities to Reduce U.S. Greenhouse Gas Emissions*. National Laboratory Directors, October 1997, pp. 2–36. See also [http://www.ornl.gov/climate\\_change/climate.htm](http://www.ornl.gov/climate_change/climate.htm).
3. Turner, John A., “Sustainable Hydrogen Production,” *Science*, Vol. 305, No. 5686, August 13, 2004, pp. 972-974.
4. Heben, M.J. and Dillon, A.C., “Room-Temperature Hydrogen Storage in Nanotubes,” *Science*, Vol. 287, January 28, 2000, p. 593

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Executive Services and Communications Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

**PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ORGANIZATION.**

<b>1. REPORT DATE (DD-MM-YYYY)</b> November 2004		<b>2. REPORT TYPE</b> Conference Paper		<b>3. DATES COVERED (From - To)</b> December 1-3, 2004	
<b>4. TITLE AND SUBTITLE</b> The Integration of Renewables: Preprint				<b>5a. CONTRACT NUMBER</b> DE-AC36-99-GO10337	
				<b>5b. GRANT NUMBER</b>	
				<b>5c. PROGRAM ELEMENT NUMBER</b>	
<b>6. AUTHOR(S)</b> Stanley R. Bull				<b>5d. PROJECT NUMBER</b> NREL/CP-200-37116	
				<b>5e. TASK NUMBER</b> 2000.1000	
				<b>5f. WORK UNIT NUMBER</b>	
<b>7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)</b> National Renewable Energy Laboratory 1617 Cole Blvd. Golden, CO 80401-3393				<b>8. PERFORMING ORGANIZATION REPORT NUMBER</b> NREL/CP-200-37116	
<b>9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)</b>				<b>10. SPONSOR/MONITOR'S ACRONYM(S)</b> NREL	
				<b>11. SPONSORING/MONITORING AGENCY REPORT NUMBER</b>	
<b>12. DISTRIBUTION AVAILABILITY STATEMENT</b> National Technical Information Service U.S. Department of Commerce 5285 Port Royal Road Springfield, VA 22161					
<b>13. SUPPLEMENTARY NOTES</b>					
<b>14. ABSTRACT (Maximum 200 Words)</b> This is an overview of renewable energy technologies, especially those that can be used for distributed generation of electricity or heat. It This paper reviews the types of technologies, their present usage in the United States, their advantages in terms of resources, availability, modularity, emissions, and integration in distributed energy systems. It reviews some of the history of their use and projects their growth and cost.					
<b>15. SUBJECT TERMS</b> Renewable energy; distributed energy systems; wind energy; photovoltaics; growth history and projections; geothermal energy; biomass energy; integration with distributed generation; hydrogen; fuel cells. "					
<b>16. SECURITY CLASSIFICATION OF:</b>			<b>17. LIMITATION OF ABSTRACT</b> UL	<b>18. NUMBER OF PAGES</b>	<b>19a. NAME OF RESPONSIBLE PERSON</b>
<b>a. REPORT</b> Unclassified	<b>b. ABSTRACT</b> Unclassified	<b>c. THIS PAGE</b> Unclassified			<b>19b. TELEPHONE NUMBER (Include area code)</b>

Standard Form 298 (Rev. 8/98)  
Prescribed by ANSI Std. Z39.18