



# Advanced Biofuels Developments in the USA



Bioenergy Australia  
2010 Conference

Manly, Sydney, Australia

James D. McMillan  
[jim.mcmillan@nrel.gov](mailto:jim.mcmillan@nrel.gov)

December 9, 2010

NREL/PR-5100-51129

# Outline

---

## Current Situation

- Biofuels progress and drivers
- New initiatives
- RDD&D situation

## NREL R&D Progress

- Biochemical cellulosic ethanol and mixed alcohols
- Improved piloting facilities
- R&D beyond cellulosic alcohols
  - National Advanced Biofuels Consortium (NABC)

## Outlook and Final Thoughts

- On-going challenges and unresolved issues

# Recent History of Advanced Biofuels

- 1995-2000: Demonstrate technical feasibility  
Focus on cellulosic ethanol
- 2000-2005: Show economic feasibility & scale potential  
Focus remains largely on cellulosic ethanol (BC route) and mixed alcohols (TC route)
- 2005-2010: Increase funding to accelerate biofuels RDD&D  
Expand product portfolio to encompass higher alcohols and hydrocarbon fuels  
Begin funding research to evaluate and prove out new concepts including hybrid BC/TC and algal pathways

# Current Situation

## Advanced biofuels R&D booming

- Many potential routes being rigorously studied (BC, TC, hybrid, algae, etc.)
- Major bioenergy research centers formed, actively engaged (BESC, JBEI, GLBRC, EBI, etc.)
- R&D community 100x larger

## Commercialization starting

- Many dozens of companies pursuing technology development
- Cellulosic and algal biofuels production occurring, albeit at a pace much slower than planned or initially forecasted



Danish fueling station pump dispensing E5 gasoline-ethanol blend containing wheat straw-derived cellulosic ethanol

photo courtesy of Claus Felby (U. Copenhagen)



# Drivers for Advanced Biofuels Remain Strong


*“Developing the next generation of biofuels is key to our effort to end our dependence on foreign oil and address the climate crisis – while creating millions of new jobs that can't be outsourced. With American investment and ingenuity – and resources grown right here at home – we can lead the way toward a new green energy economy.”*

*– United States Secretary of Energy Steven Chu*

## Science and Discovery



## Clean, Secure Energy




## Climate Change



## Economic Prosperity

# More Fuels Needed to Displace Fossil Oil

## Products Made from a Barrel of Crude Oil (Gallons)



- Advanced biofuels and products are needed to displace the entire barrel

14.7 mbd = 225 bgy = ~850 bly  
70% of U.S. petroleum use

- < Heavy duty/diesel and jet fuel substitutes required to displace several components

Diesel: 43 bgy = ~160 bly  
Aviation fuel: 25 bgy = ~95 bly  
Fuel oil for ships: 10 bgy = ~38 bly  
Total: 78 bgy = ~295 bly  
36% of transportation fuel

- < Cellulosic ethanol displaces light duty gasoline fraction

140 bgy = ~530 bly  
64% of transportation fuel

Source: Energy Information Administration, "Petroleum Explained" and AEO2009, Updated (post-ARRA), Reference Case.

# Success Requires Functioning Supply Chain

**The USDOE Biomass Program is working to advance biomass technologies in support of its mission to strengthen America's energy security, environmental quality, and economic vitality through:**



## Feedstocks

Developing lower cost feedstock logistics systems



## Conversion technologies

Improving conversion efficiencies and costs



## Integrated biorefineries

Systematically validating and deploying technology at first-of-a-kind facilities



## Infrastructure

Evaluating vehicle emissions, performance, and deployment options



## Biopower


Providing a clean, domestic, dispatchable renewable source of power



## Advanced biofuels

Expanding portfolio beyond cellulosic ethanol to hydrocarbon fuels


# Integrated Biorefinery Conversion Platforms





# Biomass Conversion to Fuels

## Major *Biochemical* Conversion Steps




## Major *Thermochemical* Conversion Steps



# Biomass Conversion to Fuels

## *Hybrid* Approaches




# Integrated Biorefinery Projects

Scale	Description	Feedstocks	Fuel/Product
<b>R&amp;D</b> <b>2 projects</b>	Includes R&D and a preliminary engineering design	Poultry Fat, Woody Biomass, Ag Residue, Algal Oil	Renewable Fuels, Renewable Gasoline, Renewable Diesel
<b>Pilot Scale</b> <b>12 projects</b>	Process a minimum of 1 dry ton per day biomass and verify integrated performance of the given suite of technologies from both a technical and an economic perspective for the first time	Algae, CO <sub>2</sub> , Woody Biomass, Sweet Sorghum, Corn Stover, Switchgrass, Energy Sorghum, Ag and Forestry Residue, Hybrid Poplar	Ethanol, Cellulosic Ethanol, Renewable Diesel, Jet Fuel, Renewable Diesel
<b>Demonstration Scale</b> <b>9 projects</b>	Validate process technology performance from both technical and an economic perspectives at a scale predictive of a commercial facility	Wheat Straw, Corn Stover, Poplar Residues, Woody Biomass, Algae, Mill Residues, MSW, Ag and Forestry Residue	Cellulosic Ethanol, Renewable Sulfur-free Diesel Fuel, Renewable Hydrocarbon-based Fuel, Renewable Gasoline, Renewable Diesel, Jet Fuel, Succinic Acid
<b>Commercial Scale</b> <b>6 projects</b>	Process a minimum of 700 dry tons per day biomass in a first-of-a-kind or "beta" commercial facility	Lignocellulosic Biomass, Corn Cobs, Woody Biomass, Mill Waste, Sorted MSW	Cellulosic Ethanol, Ethanol, Methanol




# DOE's Integrated Biorefinery Project Map

For more information visit:  
[http://www.eere.energy.gov/biomass/integrated\\_biorefineries.htm](http://www.eere.energy.gov/biomass/integrated_biorefineries.htm)



# Integrated Biorefinery Projects, cont'd.





## Progress at NREL

Cellulosic Ethanol/Mixed Alcohols Progressing

New Facilities Coming On-line (TCPDU and IBRF)

New Initiatives Underway (BESC and NABC)

# NREL BC and TC Design Reports



BC: <http://www.nrel.gov/biomass/pdfs/32438.pdf>

TC: <http://www.nrel.gov/biomass/pdfs/45913.pdf>

- Document probable BC and TC routes to cost-effective cellulosic ethanol/mixed alcohols
  - Nominal 2012 “target” cases
  - Updated BC design report will publish in 2011
- Establishes bases for comparison of other technology options (with clearly stated assumptions and referenced source data)
- Rigorous models to help quantify the R&D targets needed to achieve cost targets
- Enables impact of research progress to economic / cost goals to be quantified
- Transparency facilitates dialogue and collaboration with industry
- Have undergone extensive peer review by industry, academia and government


# Achieving Economic Feasibility (BC)

## Process cost drivers


→ Yield > Conc > Rate

- Feedstock
- Capital equipment
  - Pretreatment
  - Enzyme Production
  - Distillation
  - Boiler/CHP
- Operating cost
- Coproduct value


→ **Reduce CAPEX through co-location and process intensification**



# Economic Sugar Production Remains Biggest Challenge for BC Route




# Intensifying Enzymatic Hydrolysis



Source: Dan Schell (NREL)




# Biochemical Technology Progress (2007\$)



Source: Humbird and Aden. 2009. NREL/TP-510-46214.

# TC Focus: Clean Up and Conditioning




## Pathway to 2012 Cost Target:


- **Demonstrate continuous CH<sub>4</sub> reforming at >80% conversion**
- Improve catalyst performance by 10-20% – productivity and/or selectivity
- Better use of waste heat for drying of biomass
- Rigorous optimization of fuels synthesis operating conditions

# Achieving Methane Reforming Targets

## Catalyst Regeneration Strategy



## Methane Conversion During Continuous Regeneration



- 2009 - Industrial collaborator demonstrated > 92% CH<sub>4</sub> conversion under regenerating conditions after 100 hrs using spiked bottled syngas
- 2010 - NREL demonstrated > 90% CH<sub>4</sub> conversion after multiple regeneration cycles (~2 hrs) and >90% CH<sub>4</sub> conversion with no regeneration (~7hrs) - 2010
- 2011-2012
  - Determine optimum regeneration strategy at scale
  - Test tar reforming catalysts from 3 industrial partners
    - Johnson-Matthey, NexTech and Sud Chemie

# **Integrated Biorefinery Research Facility(IBRF)**

# NREL's Expanded BC Pilot Plant (IBRF)

- State of the art cellulosic biofuels piloting facility
- Two (2) parallel processing trains for pretreatment and primary enzymatic liquefaction
- Accelerate cost reduction focused R&D
- Provide multiple biomass pretreatment/feedstock options for RD&D support (unparalleled flexibility)
- Greatly improve industry partnering capabilities to speed scale up and commercial deployment
- DOE'S prime facility for future pilot scale pretreatment and enzymatic saccharification R&D



**Early March 2010**





# Integrated Biorefinery Research Facility



June 2010



# Inside View of IBRF Operations Level



# **National Advanced Biofuels Consortium (NABC)**

**Project Objective** – Develop cost-effective technologies to supplement petroleum-derived fuels with sustainable advanced “drop-in” biofuels compatible with today’s transportation infrastructure.

**ARRA Funded:**

- 3 year effort
- DOE Funding \$35.0M
- Cost Share \$15.1M

**Total \$50.1M**

**Consortium Leads**

National Renewable Energy Laboratory  
Pacific Northwest National Laboratory


**Consortium Partners**

Albemarle Corporation  
Amyris Biotechnologies  
Argonne National Laboratory  
BP Products North America Inc.  
Catchlight Energy, LLC  
Colorado School of Mines  
Iowa State University  
Los Alamos National Laboratory

Pall Corporation  
RTI International  
Tesoro Companies Inc.  
University of California, Davis  
UOP, LLC  
Virent Energy Systems  
Washington State University







# Outlook and Final Thoughts



# Outlook for 2011-2015

---

- 1990-2000: Demonstrate technical feasibility  
Focus on cellulosic ethanol
- 2001-2005: Show economic feasibility & scale potential  
Focus remains largely on cellulosic ethanol
- 2006-2010: Increase funding to accelerate biofuels RDD&D  
Expand RDD&D portfolio to higher alcohols and hydrocarbons  
Begin funding new concepts including hybrid BC/TC and algal pathways
- 2011-2015: Prove out and winnow advanced biofuels options  
Bring first large scale demonstrations on line

# Leverage Past Learnings to Succeed in Commercialization Efforts

➔ **Key to success at scale is accurately estimating cost and performance at smaller scales!**

Plant cost growth strongly correlated with:

- Process understanding (*integration issues*)
- Project definition (*estimate inclusiveness*)

Plant performance strongly correlated with:


- Number of new steps
- Percent of heat and mass balances based on data
- Difficulty of waste handling
- Need to process primarily solid feedstocks

➔ **These issues all apply to lignocellulose processing using new technologies. We must directly tackle them!**




1981. Understanding Cost Growth and Performance Shortfalls in Pioneer Process Plants. 1981. Rand (for USDOE).  
1985. Linking R&D to Problems Experienced in Solids Processing. Chemical Engineering Progress (May).  
1988. Estimating Startup Times for Solids Processing Plants. Chemical Engineering (October).

# Energy Density vs. Mass and Enthalpy Yields



Theoretical yield calculations from: Rude and Schirmer. 2009. Current Opinions in Microbiology, **12**:274-281.

# Anabolic vs. Catabolic Product Pathways



Source: Fortman *et al.*  
2008. Trends in Biotech.  
26(7): 375-381

# Final Thoughts

Lots of progress happening. Many process and product options being advanced and scaled up to pilot and demonstration scales. Commercialization beginning.


Solids handling issues and compositional analysis accuracy and throughput remain challenging technical issues limiting the pace of advanced biofuels RDD&D

Factors in play for cellulosic biofuels include:

- What pretreatment and enzymatic hydrolysis (saccharification) schemes will prove out?
- How much and how quickly will catalysts, hydrolytic enzymes and biofuels production strains be improved?
- How quickly will higher alcohols and hydrocarbons be proven at scale?

Potential game changers include:

- Price on (net) carbon, GHG emissions mitigation
- Competition for feedstocks (biopower, bioproducts)
- Production of higher value coproducts
- Price of petroleum & ethanol blend limit for non-FFVs





# Acknowledgments



- USDOE's EERE's Office of the Biomass Program – Funding and selected slides on USDOE's strategy and investments
- NREL's Mark Davis – Slides on TC conversion progress
- NREL's Dan Schell, Alex Chapeaux, Nancy Dowe Farmer and Andrew Lowell – Data on enzymatic hydrolysis glucose yields =  $f[\text{insoluble solids}]$



# More Information

---

National Renewable Energy Laboratory

[www.nrel.gov](http://www.nrel.gov)

DOE's Biomass Program

[www.eere.energy.gov/biomass/](http://www.eere.energy.gov/biomass/)

DOE-USDA Biomass R&D Initiative

[www.brdisolutions.com](http://www.brdisolutions.com)

Alternative Fuels

[www.afdc.doe.gov](http://www.afdc.doe.gov)

# USA BioEnergy Atlas

<http://maps.nrel.gov/bioenergyatlas>



Built into Google Maps, BioEnergy Atlas includes two interactive maps, BioPower and BioFuels. These maps allow you to compare and analyze biomass feedstocks, biopower and biofuels data from the U.S. Department of Energy (DOE), U.S. Environmental Protection Agency (EPA), and the U.S. Department of Agriculture.



## BioFuels

Launch

BioFuels Atlas is an interactive map for comparing biomass feedstocks and biofuels by location. This tool helps users select from and apply biomass data layers to a map as well as query and download biofuels and feedstock data. The state zoom function summarizes state energy use and infrastructure for traditional and bioenergy power, fuels, and resources. The tool also calculates the biofuels potential for a given area.

BioFuels Atlas was developed by the [National Renewable Energy Laboratory](#) with funding from the [DOE Biomass Program](#).



## BioPower

Launch

BioPower is an interactive map for comparing biomass feedstocks and biopower by location. This tool helps users select from and apply biomass data layers to a map as well as query and download biopower and feedstock data. The analysis function offers common conversion factors that allow users to determine the potential biopower production for a selected feedstock in a specific area.

BioPower was developed by the [National Renewable Energy Laboratory](#) with funding from the [EPA Blue Skyways Collaborative](#).

# Thanks for Your Attention!

## Questions?

