



STRATEGIC ANALYSIS

PEM Electrolysis H₂A Production Case Study Documentation

Prepared for the U.S. Department of Energy
Fuel Cell Technologies Office

31 December 2013

By:

Brian James (SA)

Whitney Colella (SA)

Jennie Moton (SA)

and from the

National Renewable Energy Laboratory (NREL)

Genevieve Saur (NREL)

Todd Ramsden (NREL)



CREATIVE
SOLUTIONS
FOR
TOMORROW'S
CHALLENGES

STRATEGIC ANALYSIS INC.

This report does not contain any proprietary, confidential, or otherwise restricted information.

Sponsorship

This research was conducted under contract to the U.S. Department of Energy's Energy Efficiency and Renewable Energy Fuel Cell Technologies Office, under award number DE-EE0006231.

Authors' Contact Information

Strategic Analysis Inc. may be contacted at:

Strategic Analysis Inc. (SA)
4075 Wilson Blvd, Suite 200
Arlington, VA 22203
(703) 527-5410
www.sainc.com

The corresponding authors may be contacted at:

Brian D. James
Director of Energy Programs
(703) 778-7114
BJames@sainc.com

Whitney G. Colella
Principal Research Engineer
(703) 253-4729
WColella@sainc.com

Table of Contents

Contents

Table of Contents	3
List of Figures	4
List of Tables	4
Executive Summary	5
Introduction	6
Technology Description	7
Key Collaborators	7
Methodology	8
Model Development.....	8
Summary of Parameters	8
Results	10
Cost Breakdown	10
Sensitivity Analysis and Tornado Charts.....	12
Waterfall Charts.....	17
Cost Drivers	18
Conclusion.....	18
Acknowledgment	19
Selected Bibliography	19
Publicly Available Documentation for 2013 PEM Electrolysis H2A Study	19
Appendix A. Electrolysis Questionnaire.....	20

List of Figures

Figure 1. PEM electrolysis basic process design	7
Figure 2. PEM electrolyzer water splitting process.....	7
Figure 3. H2A Production PEM electrolysis breakdown (cost results reported in 2007\$; average electricity prices for the Current and Future cases are ~6.22¢/kWh and ~6.88¢/kWh, respectively)	11
Figure 4. Tornado chart for Current Forecourt case	15
Figure 5. Tornado chart for Future Forecourt case	15
Figure 6. Tornado chart for Current Central case.....	16
Figure 7. Tornado chart for Future Central case.....	16
Figure 8. Waterfall chart for the Forecourt case	17
Figure 9. Waterfall chart for the Central case	18
Figure 10. Forecourt case questionnaire tab (continued)	23
Figure 11. Central case questionnaire tab (continued).....	26
Figure 12. Additional Technical Detail questionnaire tab	27

List of Tables

Table 1. H2A input model assumptions for the four cases	6
Table 2. Major parameters used in H2A Production cases for PEM electrolysis (costs parameters in 2007\$ and in 2012\$)	9
Table 3. Cost breakdown for H2A Production PEM electrolysis baseline cases (cost results reported in 2007\$).....	10
Table 4. Breakdown of sensitivities for the Forecourt cases (cost results reported in 2007\$ and variable limits reported in 2007\$ and 2012\$).....	13
Table 5. Breakdown of sensitivities for the Central cases (cost results reported in 2007\$ and variable limits reported in 2007\$ and 2012\$).....	14

PEM Electrolysis H₂A Production Case Study Documentation

Executive Summary

This report details analysis of hydrogen (H₂) production based on polymer electrolyte membrane (PEM) electrolysis. This work identifies primary constraints to the success of this production pathway, primary cost drivers, and remaining Research and Development (R&D) challenges. This research assesses the potential to meet U.S. Department of Energy (DOE) H₂ production and delivery (P&D) cost goals of less than \$4/gasoline gallon equivalent (dispensed, untaxed) by 2020.

Pathway analysis is performed using the DOE's main H₂A modeling tool, namely, the H₂A Production model, which encapsulates the standard methods of energy, emissions, and cost analysis developed by DOE's H₂ and fuel cell technology teams. The following methodology is applied to the PEM electrolysis production pathway:

- Literature review;
- Industry survey covering PEM electrolyzer economic and engineering performance;
- System definition covering energy efficiency, environmental, and economic estimates;
- H₂A model spreadsheet runs with the gathered information;
- Sensitivity analyses (tornado and/or waterfall charts) to identify key cost drivers;
- Documentation of case study results; and
- Case vetting with team partners and with others.

PEM electrolysis production pathways are analyzed for a distributed, forecourt H₂ production system of 1,500 kilograms (kg) of H₂ per day, and for a central, large, plant size H₂ production system of 50,000 kg H₂/day, for both current and future cases. The analysis is based in part on data from a technical and economic survey completed by four different PEM electrolyzer companies.

Model results indicate that, for PEM electrolysis, the primary cost drivers are the electricity expenditures to run the electrolyzer and the capital cost of the electrolyzer. In the future within the electrolyzer system, the balance of plant is expected to be a greater source of cost than the electrolyzer stack due to stack reductions facilitated by operation at higher current densities whereas the balance of plant remains similarly sized for the given flow. This balance between size and cost of the stack versus balance of plant could also increase difficulties in meeting efficiency improvements in the future. The H₂ cost reduction is estimated to be greater moving from a Current case to a Future case, compared with moving from a Forecourt case to a Central case.

Introduction

This report documents the development of four H2A Production case studies for polymer electrolyte membrane (PEM) electrolysis. The four cases characterize PEM electrolyzer technology for two hydrogen (H₂) production plant sizes (Forecourt¹ and Central) and for two technology development time horizons (Current and Future). Table 1 shows H2A input model assumptions for the technology development year² (either year 2013 or 2025), the H₂ production plant start date (either year 2010 or 2025),³ H₂ production rates (in units of kilograms (kg) of H₂ per day), and plant lifetime (in years) for the four cases.

Table 1. H2A input model assumptions for the four cases

Case	Technology Development Year	H ₂ Plant Start Date	H ₂ Production Rate (kg H ₂ /day)	Plant Lifetime (years)
Current Forecourt	2013	2010	1,500 ⁴	20
Current Central	2013	2010	50,000	40
Future Forecourt	2025	2025	1,500	20
Future Central	2025	2025	50,000	40

“Current” cases assume a short-term projection from technology that is commercially available or that has been demonstrated in the lab in terms of technology readiness level. Current cases assume advances that already have been demonstrated in individual components are simultaneously able to be successfully implemented in a full-scale system. Current cases also assume that equipment capital costs are reduced by high-volume manufacturing and the resulting economies of scale. Current technology generally references only advancements that could be incorporated into a commercial product with a high degree of confidence, fairly quickly, and with little risk.

In contrast to Current cases, Future cases project the development of the technology with new materials and capabilities and improved hydrogen production efficiencies, and include longer equipment lifetimes. Generally, capital costs of the systems are further reduced, compared with the Current case.

¹ Hydrogen production cost is the focus of the case study. For the Forecourt cases, compression, storage, and dispensing computations are included in the base H2A spreadsheet, and thus they are also reported in the case study.


² Technology development year is defined as the year in which a system design and performance level have been demonstrated in the laboratory with high confidence that it can be developed into a full-scale system able to achieve performance, durability, and cost targets.

³ Plant start date (2010) occurs before Technology Year (2013) because it is H2A practice to begin all Current cases in a common year for ease of comparison. For example, the start date affects the price of electricity based on the Annual Energy Outlook (AEO) lookup table.

⁴ As a variation on the standard Current Forecourt case, an analysis at a 500 kg/day capacity (more representative of expected early market stations) was also performed with inputs from the manufacturers.

Technology Description

PEM water electrolysis uses electrical power to split water (H₂O) into oxygen (O₂) and H₂. A schematic diagram of the basic process is shown in Figure 1. A schematic diagram of the water splitting processes within the PEM electrolyzer stack is shown in Figure 2. As shown in Figure 2, at the positive terminal (the anode), water reacts under the influence of a catalyst to form oxygen molecules, electrons (e⁻), and hydrogen protons (H⁺). Hydrogen protons are conducted across the PEM electrolyte, while the electrons flow through an external power circuit. At the negative terminal (the cathode), the electrons combine with the hydrogen protons to produce H₂.



* Oxygen gas generated but currently modeled as being released into the atmosphere

Figure 1. PEM electrolysis basic process design




Figure 2. PEM electrolyzer water splitting process

Key Collaborators

Four electrolyzer companies provided input for development of the generic PEM electrolysis cases. A team from Strategic Analysis Inc. (SA) and the National Renewable Energy Laboratory (NREL) performed analysis and case study preparation. Interactive technical oversight was

provided by a team from the U.S. Department of Energy (DOE). Questions can be directed to the DOE's H2A⁵ webmaster: hydrogen_doe2a@nrel.gov.

Methodology

Model Development

Relevant engineering and economic information was solicited from the four electrolyzer companies. A questionnaire spreadsheet, detailed in Appendix A, was used to gather data. The requested data included H2A input parameters needed for developing cases, along with some additional information for understanding the underlying technology assumptions.

The data collected were synthesized and amalgamated into generalized cases that were broadly representative of the data collected. The four companies vetted this synthesized and amalgamated data, as well as select sensitivity limit parameters. Data collected fell into the following five primary categories:

1. Engineering system definition,
2. Capital costs,
3. Operating costs,
4. Variable and fixed expenses, and
5. Replacement costs.

An engineering system performance model was also generated using additional parameters provided by the companies, so as to create a generalized electrolyzer system engineering design based upon diverse industry input. This model was used to corroborate selected parameter values for the four case studies.

Data from the four generalized cases (i.e., Current Forecourt, Current Central, Future Forecourt, and Future Central) were used to populate the H2A Distributed and Central Hydrogen Production Models (both Version 3.0) and to generate estimates of hydrogen cost. Sensitivity analysis in the form of waterfall and tornado charts was conducted using the H2A model.

Summary of Parameters

Major parameters used to develop the four case studies are shown in Table 2. Parameters not cited here were assumed to be in accordance with standard H2A default values. Although the PEM electrolyzer net system electrical efficiency is estimated to rise from 61% in the Current case to 66% in the Future case, the average electricity price is estimated to rise from 6.12¢/kWh to 6.88¢/kWh between these cases as well.⁶

Note that Table 2 lists electrolyzer capital costs in U.S. 2012 dollars (2012\$) because that is the reporting year for the four electrolyzer companies. However, hydrogen cost results (\$/kg) will

⁵ http://www.hydrogen.energy.gov/h2a_production.html

⁶ Average Current Forecourt electricity price (6.12¢/kWh) is less than the average Current Central electricity price (6.22¢/kWh) because of the different time horizons for the investment, namely 20 years versus 40 years. The same pattern holds for the Future cases. H2A default electricity price input values are based on U.S. Energy Information Administration (EIA) Annual Energy Outlook (AEO) industrial electricity price values, which generally escalate over time. As a result, investments over a shorter time horizon (i.e. 20 years versus 40 years) will have a lower average electricity price.

always be reported in 2007 dollars (2007\$), according to the standard H2A methodology approved by DOE.

Table 2. Major parameters used in H2A Production cases for PEM electrolysis (costs parameters in 2007\$ and in 2012\$)

Parameter	Current Forecourt	Future Forecourt	Current Central	Future Central
Plant Capacity (kg/day)	1,500	1,500	50,000	50,000
Total Uninstalled Capital (2012\$/kilowatt (kW))	\$940	\$450	\$900	\$400
Stack Capital Cost (2012\$/kW)	\$385	\$171	\$423	\$148
Balance of Plant (BOP) Capital Cost (2012\$/kW)	\$555	\$279	\$477	\$252
Total Electrical Usage (kilowatt-hour (kWh)/kg)	54.6	50.3	54.3	50.2
Net System Electrical Efficiency (percentage (%) of lower heating value (LHV) of H ₂ input energy)	61%	66%	61%	66%
Stack Electrical Usage (kWh/kg) (% LHV H ₂)	49.2 (68%)	46.7 (71%)	49.2 (68%)	46.7 (71%)
BOP Electrical Usage (kWh/kg)	5.4	3.6	5.1	3.5
Electrolyzer Power Consumption (Megawatts (MW))	3.4	3.1	113.1	104.6
Average Electricity Price over Life of Plant ⁷ (2007¢/kWh)	6.12	6.88	6.22	6.89
Electricity Price in Startup Year (H2A Default Values) ⁸ (2007¢/kWh)	5.74	6.59	5.74	6.59
Hydrogen Outlet Pressure (pounds per square inch)	450	1,000	450	1,000
Installation Cost (% of uninstalled capital cost)	12%	10%	12%	10%
Replacement Interval (years)	7	10	7	10
Replacement Cost of Major Components (% of installed capital cost)	15%	12%	15%	12%

⁷ Average electricity price over life of plant (20 years for Forecourt cases and 40 years for Central cases).

⁸ H2A Default Values from Energy Information Administration (EIA) Annual Energy Outlook (AEO) data.

Results

Cost Breakdown

The cost breakdown for the four H2A Production PEM electrolysis baseline cases is shown in Table 3; results are shown in 2007 dollars. As shown in the table, the primary cost driver for production is the feedstock fuel cost, which is primarily composed of the electricity expenditures for the electrolyzer stack. Although the electrolyzer electrical efficiency increases between the Current and Future cases, the electricity price also rises, and, as a result of this combined effect and other factors, feedstock costs are slightly higher for the Future cases. Forecourt costs for the hydrogen CSD elements at the hydrogen refueling station are also shown in Table 3. Production cost, not CSD cost, is the focus of the analysis, and CSD costs are reported only because they are included in the H2A Distributed Production Model. H2A standard parameter values were used for all CSD assumptions. CSD-associated costs are not calculated for the Central cases.

Table 3. Cost breakdown for H2A Production PEM electrolysis baseline cases (cost results reported in 2007\$)

Component	Current Forecourt	Future Forecourt	Current Central	Future Central
Production Cost (2007\$/kg)	\$5.14⁹	\$4.23	\$5.12	\$4.20
<i>Capital Cost</i>	\$1.35	\$0.58	\$1.33	\$0.53
<i>Stack Capital Cost</i>	\$0.42	\$0.16	\$0.48	\$0.17
<i>BOP Capital Cost</i>	\$0.61	\$0.26	\$0.54	\$0.26
<i>Indirect Capital Cost and Replacement Cost</i>	\$0.32	\$0.16	\$0.31	\$0.10
<i>Decommissioning</i>	\$0.02	\$0.00	\$0.00	\$0.00
<i>Fixed operations and maintenance (O&M)</i>	\$0.42	\$0.18	\$0.40	\$0.20
<i>Feedstock</i>	\$3.34	\$3.46	\$3.38	\$3.46
<i>Variable O&M</i>	\$0.01	\$0.01	\$0.01	\$0.01
CSD Cost (Forecourt only) (2007\$/kg)¹⁰	\$2.44	\$1.56	Not Applicable	
<i>CSD Capital Cost</i>	\$1.53	\$0.92		
<i>CSD Fixed O&M</i>	\$0.54	\$0.38		
<i>CSD Variable O&M</i>	\$0.37	\$0.26		
Production + CSD Cost (2007\$/kg)	\$7.58 (Prod. & CSD)	\$5.79 (Prod. & CSD)	\$5.12 (Prod. only)	\$4.20 (Prod. only)

⁹ For the “Early Market Current Forecourt Case” analyzed at a capacity of 500 kg/day H2, the projected cost is increased to \$5.79/kg (in 2007\$).

¹⁰ Hydrogen production cost is the focus of the case study. For the Forecourt cases, compression, storage, and dispensing computations are included in the base H2A spreadsheet, and thus they are also reported in the case study. The CSD cost difference from the current to future case is reduced slightly by the change in output pressure from electrolyzer (450 psi to 1,000 psi, see Table 2), but the cost change is more greatly affected by design differences that include higher efficiency compressors, more reliable compressors (allowing for one unit to be installed rather than two with a backup), lower cost dispensers, and higher electricity price.

The baseline projections shown in Table 3 incorporate averaged amalgamations of the electrolyzer stack and balance of plant (BOP) costs supplied by the four independent manufacturers; and these values (along with all technoeconomic inputs to the baseline cases shown in Table 2) were discussed with and vetted by the manufacturers.

Figure 3 plots the levelized production cost of H₂ on the y-axis for the four baseline cases, as well as the cost breakdown for each case. The vertical bars around each of the baseline total costs reflect the low and high projections for each case based solely on the low and high limits for uninstalled capital costs (including stack, balance of plant (BOP)) shown in Table 4 and Table 5¹¹.




Figure 3. H₂A Production PEM electrolysis breakdown (cost results reported in 2007\$; average electricity prices for the Current and Future cases are ~6.22¢/kWh and ~6.88¢/kWh, respectively)

H₂A model results indicate that the most sensitive input parameter is the feedstock costs, and in particular, the cost of electricity input to the electrolyzer. As noted in Table 2, the average electricity price over the life of the plant is 6.12 ¢/kWh in the Current Forecourt case, 6.88 ¢/kWh in the Future Forecourt case, 6.22 ¢/kWh in the Current Central case, and 6.89 ¢/kWh in the Future Central case. Either lower electricity prices or higher electrolyzer efficiencies can help reduce feedstock costs. The second most sensitive input parameter is the capital cost of the

¹¹ Actual lower and upper bounds on capital cost from the independent electrolyzer manufacturers are considered proprietary and thus are not specified.

electrolyzer equipment, including the costs of the electrolyzer stack and the BOP. In the future within the electrolyzer system, the balance of plant is expected to be a greater source of cost than the electrolyzer stack due to stack reductions facilitated by operation at higher current densities whereas the balance of plant remains similarly sized for the given flow. This balance between size and cost of the stack versus balance of plant could also increase difficulties in meeting efficiency improvements in the future. Results indicate that the H₂ cost reduction is expected to be greater moving from a Current case to a Future case, compared with moving from a Forecourt case to a Central case.

By default, the H2A case studies vary feedstock and utility costs yearly according to the yearly predictions from the 2009 Annual Energy Outlook¹² (AEO) from the U.S. Energy Information Administration (EIA). Thus, for the PEM electrolyzer cases, electricity price changes each year starting with the EIA projection for the starting year and ending in the final year of the analysis (20 years later for Forecourt and 40 years later for Central). Industrial¹³ electricity prices are used for all cases.

Sensitivity Analysis and Tornado Charts

Table 4 details the range of parameter values used within the sensitivity analysis. The four electrolyzer companies vetted these sensitivity limits, which were suggested by the analysis team, and which are meant to capture the potential range of parameter variation rather than to report the minimum and maximum values from the four companies.

These input parameters were chosen based on whether they were believed to have a high impact on the cost of hydrogen, whether there was a large uncertainty as to their precise value, and whether there was a perception of a significant opportunity for improvement with further R&D, learning and experience, and/or time. Based on previous studies, the electricity price, the electricity usage (i.e. net system electrical efficiency), and the uninstalled capital costs were hypothesized to have the greatest impact on the levelized hydrogen cost; therefore, this study focused significant effort on attaining precise values for these parameters. The site preparation costs appeared to have a large uncertainty range, and, within the H2A model, there is a significant discrepancy between the default values for the Forecourt and Central case site preparation costs. Also considered were the replacement interval and replacement costs, which are impacted by the durability of the system to perform over the plant lifetimes assumed.

Based on these input parameters, tornado charts (Figure 4 through Figure 7) were developed for the four cases to examine the impact of individual parameters on hydrogen cost in a single variable sensitivity analysis. The tornado charts plot the levelized hydrogen cost on the x-axis and the single input parameter that is varied on the y-axis. The figures plot the change in H₂ cost on the x-axis against the change in average electricity price over life of plant, electricity usage, uninstalled capital cost, site preparation cost, stack replacement interval, or stack replacement cost on the y-axis. The tornado charts are organized from top to bottom from the most sensitive input parameters to the least sensitive input parameters, of those analyzed. The colored shading indicates either an increase or a decrease in the baseline hydrogen cost from the change in input parameter. The y-axis lists the low, baseline, and high values for the input parameters, which are also shown in Table 4. Over the range of values and parameters investigated, the tornado charts clearly show that the most sensitive input parameter impacting hydrogen cost is the electricity

¹² "Reference" scenario selected within the 2009 AEO.

¹³ As opposed to alternative AEO electricity classifications of Residential or Commercial.

price. Additional important input parameters include the electricity usage of the electrolyzer (which is proportional to electrolyzer net system electrical efficiency) and the uninstalled capital cost of the electrolyzer.

Table 4. Breakdown of sensitivities for the Forecourt cases (cost results reported in 2007\$ and variable limits reported in 2007\$ and 2012\$)

Variable Name	Low ¹⁴ Value	Low H ₂ Production Cost (2007\$/kg)	Likeliest Value	Baseline H ₂ Production cost (2007\$/kg)	High ¹⁵ Value	High H ₂ Production Cost (2007\$/kg)
Current Forecourt						
Average Electricity Price over Life of Plant (2007¢/kWh)	3.06	\$3.47	6.12	\$5.14	9.18	\$6.81
Electricity Usage (kWh/kg) (% LHV H ₂)	50 (67%)	\$4.71	54.6 (61%)	\$5.14	65 (51%)	\$6.11
Uninstalled Capital Costs (2012\$/kW)	752	\$4.79	940	\$5.14	1,128	\$5.49
Site Prep (% of installed capital)	1%	\$4.95	18.85%	\$5.14	40%	\$5.36
Replacement Interval (years)	20	\$5.04	7	\$5.14	4	\$5.25
Replacement Costs (% of installed capital)	10%	\$5.11	15%	\$5.14	25%	\$5.20
Future Forecourt						
Average Electricity Price over Life of Plant (2007¢/kWh)	3.44	\$2.50	6.88	\$4.23	10.31	\$5.96
Electricity Usage (kWh/kg) (% LHV H ₂)	45 (74%)	\$3.79	50.3 (66%)	\$4.23	55 (61%)	\$4.62
Uninstalled Capital Costs (2012\$/kW)	360	\$4.08	450	\$4.23	540	\$4.37
Site Prep (% of installed capital)	1%	\$4.14	18.85%	\$4.23	40%	\$4.32
Replacement Interval (years)	20	\$4.21	10	\$4.23	4	\$4.28
Replacement Costs (% of installed capital)	10%	\$4.22	12%	\$4.23	25%	\$4.24

¹⁴ “Low” reflects the most optimistic parameter value, resulting in a lower H₂ production cost.

¹⁵ “High” refers to the least optimistic parameter value, resulting in a higher H₂ production cost.

Table 5. Breakdown of sensitivities for the Central cases (cost results reported in 2007\$ and variable limits reported in 2007\$ and 2012\$)

Variable Name	Low Value	Low H ₂ Production Cost (2007\$/kg)	Likeliest Value	Baseline H ₂ Production cost (2007\$/kg)	High Value	High H ₂ Production Cost (2007\$/kg)
Current Central						
Average Electricity Price over Life of Plant (2007¢/kWh)	3.11	\$3.41	6.22	\$5.12	9.33	\$6.82
Electricity Usage (kWh/kg) (% LHV H ₂)	50 (67%)	\$4.72	54.3 (61%)	\$5.12	65 (51%)	\$6.12
Uninstalled Capital Costs (2012\$/kW)	720	\$4.80	900	\$5.12	1080	\$5.45
Site Prep (% of installed capital)	1%	\$5.11	2%	\$5.12	40%	\$5.49
Replacement Interval (years)	20	\$5.03	7	\$5.12	4	\$5.24
Replacement Costs (% of installed capital)	10%	\$5.09	15%	\$5.12	25%	\$5.20
Future Central						
Average Electricity Price over Life of Plant (2007¢/kWh)	3.45	\$2.46	6.89	\$4.20	10.34	\$5.95
Electricity Usage (kWh/kg) (% LHV H ₂)	45 (74%)	\$3.77	50.2 (66%)	\$4.20	55 (61%)	\$4.59
Uninstalled Capital Costs (2012\$/kW)	320	\$4.07	400	\$4.20	480	\$4.33
Site Prep (% of installed capital)	1%	\$4.19	2%	\$4.20	40%	\$4.35
Replacement Interval (years)	20	\$4.18	10	\$4.20	4	\$4.24
Replacement Costs (% of installed capital)	10%	\$4.19	12%	\$4.20	25%	\$4.22




Figure 4. Tornado chart for Current Forecourt case




Figure 5. Tornado chart for Future Forecourt case




Figure 6. Tornado chart for Current Central case




Figure 7. Tornado chart for Future Central case

Waterfall Charts

Waterfall charts were created to graphically show the cumulative change in H₂ cost corresponding to each parameter change moving from the Current case to the Future case. Figure 8 and Figure 9 show this waterfall chart as applied to the Forecourt and Central cases, respectively. Please note that because electricity prices follow the AEO projections, which vary year by year, and because the Current and Future cases cover different timespans, an increase in electricity price is observed from 6.12¢/kWh to 6.88¢/kWh for the forecourt and 6.22¢/kWh to 6.89¢/kWh for the central case which, in turn, increases electricity expenditures for future H₂ production. This effect is shown in the second column from the left in the waterfall chart, as an increase of \$0.41/kg H₂ in H₂ cost for the Forecourt case, and as an increase of \$0.36/kg H₂ for the Central case. By contrast, the increase in electrical efficiency expected between the Current and Future cases helps reduce net electricity expenditures and bring the H₂ production cost down. This effect is shown in the third column from the left in the waterfall chart, as a decrease of \$0.43/kg H₂ in H₂ cost for the Forecourt case, and as a decrease of \$0.41/kg H₂ for the Central case. “Other” in the sixth column from the left in both Figure 8 and Figure 9 refers to the changes in replacement interval, replacement cost, installation cost factor, and production maintenance and repairs.




Figure 8. Waterfall chart for the Forecourt case




Figure 9. Waterfall chart for the Central case

Cost Drivers

The greatest cost driver impacting the cost of hydrogen across all cases is the electricity feedstock cost, which is determined by the net system electrical efficiency and the electricity purchase price. The cost of electricity is the leading input variable impacting hydrogen cost, and, while the system efficiency can be improved to some degree, the electricity prices are generally impacted by factors outside of the electrolyzer research and development process. In the sensitivity analyses, the most significant input parameter impacting the cost of hydrogen in these scenarios that could be impacted by the research and development process is the net system electrical efficiency (in units of kilowatt-hours per kilogram H₂). Either the electrolyzer stack or the balance of plant energy consumption could be improved.

Conclusion

This research is part of a broad effort to identify the most economical, environmentally benign, and societally feasible paths forward for the production and delivery of H₂ fuel for fuel cell vehicles. This report examines H₂ production using PEM electrolyzers and discusses primary cost drivers and research and development bottlenecks. Using H2A model runs, four cases are examined in detail: Current Forecourt, Future Forecourt, Current Central, and Future Central. H2A model results indicate that the most sensitive input parameter is the expenditures for electricity input into the electrolyzer. Either lower electricity prices or higher electrolyzer efficiencies can reduce this cost. The second most sensitive input parameter is the uninstalled capital cost of the electrolyzer equipment, including the costs of the electrolyzer stack, the BOP, indirect capital costs, and replacement costs. In the future, within the electrolyzer system, the electrolyzer stack is expected to be operated at higher current densities, and therefore its size and capital cost will be lower. While the electrolyzer stack can be reduced in size and capital cost when it operates at

higher current densities, the BOP does not see the same proportional reduction in size and capital cost. As a result, under this future scenario, the BOP is expected to be a greater source of capital cost than the electrolyzer stack. This tradeoff between the size and capital cost of the electrolyzer stack compared with the size and capital cost of the BOP is still an area for further analysis and optimization so as to address system efficiency and cost targets. The analysis presented in this report indicates that the reduction in H₂ cost is expected to be greater moving from a Current case to a Future case, compared with moving from a Forecourt case to a Central case.

Acknowledgment

This work was supported by the U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, Fuel Cell Technologies Office, under award number DE-EE0006231. The authors wish to thank the following individuals for their technical and programmatic contributions and oversight:

- Dr. Eric Miller (Technology Development Manager)
- Dr. Dave Peterson (Technology Development Manager at the Golden Field Office (GO))
- Dr. Sunita Satyapal (Fuel Cell Technologies Office Director)

Support was also provided by: Giner Inc., Hydrogenics Corp., ITM Power, and Proton OnSite.¹⁶

Selected Bibliography

- Ayers, K., “Low Cost Large Scale PEM Electrolysis for Renewable Energy Storage,” Proton Onsite Presentation at 2013 U.S. Department of Energy Hydrogen and Fuel Cells Program Annual Merit Review, May 15, 2013.
- “Current (2009) State of the Art Hydrogen Production Cost Estimate Using Water Electrolysis: Independent Review,” National Renewable Energy Laboratory publication for the U.S. Department of Energy Hydrogen Program, September, 2009.
<http://www.hydrogen.energy.gov/pdfs/46676.pdf>
- Hamdan, M., “PEM Electrolyzer Incorporating an Advanced Low Cost Membrane,” Giner Inc. Presentation at 2013 U.S. Department of Energy Hydrogen and Fuel Cells Program Annual Merit Review, May 15, 2013.
- Harrison, K., Peters, M., “Renewable Electrolysis Integrated System Development and Testing,” 2013 U.S. Department of Energy Hydrogen and Fuel Cells Program Annual Merit Review, May 15, 2013.

Publicly Available Documentation for 2013 PEM Electrolysis H2A Study

http://www.hydrogen.energy.gov/h2a_production_documentation.html

- DOE Hydrogen & Fuel Cells Program Record 14004: H₂ Production Cost from PEM Electrolysis
- PEM Electrolysis H2A Cases: Current Forecourt, Future Forecourt, Current Central, and Future Central

¹⁶ Industry stakeholder participants voluntarily furnished relevant confidential commercial information to the government in support of the case studies. This commercial information is not publicly available and is customarily held in confidence.

Appendix A. Electrolysis Questionnaire

Definition of terms:

- "Existing" refers to currently available commercial products, preferably of the highest capacity, to show a lower cost case.
- "Current" refers to current technology, i.e. technology already offered as a product or demonstrated in the laboratory with sufficient confidence that it could be turned into a commercial product with relatively little development risk and with a relatively standard/rapid product development cycle.
- "Future" refers to future technology, i.e. technology that may not be currently demonstrated or even currently defined, but that is expected to be available in a fully functional product in the future year specified. The assumed start-up year is 2025.
- "Mature Market" – For both the Current and Future cases, it is assumed that manufacturing rates may be higher than that currently demonstrated. Thus, the Current and Future cases also apply economies of scale in manufacturing.

Tabs for Forecourt, Central, and Additional Technical Detail are shown in Figure 10, Figure 11, and Figure 12.

FORECOURT PEM ELECTROLYSIS						
Requested inputs	Existing Available Technology	H2A Current Forecourt (Shown for example)	Envisioned System for Current Forecourt Case in Mature Market (2013)	H2A Future Forecourt (Shown for example)	Envisioned System for Future Forecourt Case in Mature Market (2025)	Notes/Comments
Annual production rate (assumption)		"Nth Unit" ~ 300+ systems per year		"Nth Unit" ~ 300+ systems per year		
Technical Parameters						
Production Equipment Availability Factor (%)		97%		97%		Refers to fraction of planned and unplanned equipment downtime. Size system for ~1,500 kg/day
Plant Design Capacity (kg of H2/day)		1500		1500		
Single Unit Size (kg/day)		750		750		
System H2 Output pressure (psi)		300		300		
System O2 Output pressure (psi)		300		300		
Direct Capital Costs						
Basis Year for production system costs		2005		2005		This is the basis year for your capital cost inputs. Use what cost data you have. Just report what year dollars you assumed.
Uninstalled Cost - (with suggested subsystem breakdown, further breakdown desirable if available)		\$384/kW		\$269/kW		
Stacks		663,600		306,257		
Hydrogen Gas Management System		229,200		211,131		
Driers						
Gas separator						
Other H2 Gas Mgmt Sys components						
Oxygen Gas Management System						
Water Reacant Delivery Management System		138,000		126,834		
Pumps						
Deminerlizer/Water treatment						
Other						
Thermal Management System		138,000		101,312		
Heat exchanger						
Other						
Power Electronics						
Controls & Sensors		31,200		27,842		
Mechanical Balance of Plant						
Item Breakdown						
Item Breakdown						
Item Breakdown						
Item Breakdown						
Installation factor (a multiplier on uninstalled cap cost)		1.2		1.2		Installation costs (if known) can also be enumerated as specific line itmes under Capital Costs (rather than a installation factor).
Indirect Capital Costs						
Site Preparation (\$) (may change to construction costs)		271,440 (18.85% installed capital)		174,937 (18.85% installed capital)		
Engineering & design (\$)		50,000		50,000		
Project contingency (\$)		216,000 (15% installed capital)		139,208 (15% installed capital)		
Up-Front Permitting Costs (\$) (legal and contractors fees included here)		30,000		30,000		

Figure 10. Forecourt case questionnaire tab

Replacement Schedule					
Replacement Interval of major components (yrs)		7		10	
Replacement cost of major components (% of installed capital)		25%		25%	
O&M Costs-Fixed					
Licensing, Permits and Fees (\$/year)		1,000		1,000	
Yearly maintenance costs (\$/yr) (Please specify in notes types of activities)		72,000 (5% installed capital)		46,403 (5% installed capital)	
O&M Costs - Variable					
Total plant staff (total FTE's)		0		0	
Other variable operating costs (e.g. environmental surcharges) (\$/year)		1,800		1,800	
Other Material Costs (\$/yr)		19,803		19,803	
Total Unplanned Replacement Capital Cost Factor (% of total direct depreciable costs/year)		0		0	
Feedstocks and Other Materials					
System Electricity Usage (kWh/kg H2)		50		46	
Stack at rated capacity					
Stack at 70% capacity (to correspond to winter-time low)					
BOP at rated capacity					
BOP at 70% capacity (to correspond to winter-time low)					
Process water usage (gal/kg H2)		2.939		2.939	
Cooling water usage (gal/kg H2)		0.108		0.108	
Compressed Inert Gas (Nm3/kg H2)		0.0229		0.0229	
Additional Technical Parameters					
Ramp Rates					
Up Ramp Rate (system kW/seconds)					
Down Ramp Rate (system kW/seconds)					
Time to full capacity from cold start (min)					
Minimum up time before can be shut down again (min)					
Minimum turn down (% max power) (Or provide efficiency curve)					
Financial Parameters					
Length of Construction Period (years)		1		1	
% of Capital Spent in 1st Year of Construction		100%		100%	
% of Capital Spent in 2nd Year of Construction					
Start-up Time (years)		0.5		0.5	

Figure 10. Forecourt case questionnaire tab (continued)

Financial Parameters cont'd (The following are H2A default values. The analysis will use these values unless explicitly changed.)						
Reference year		2007	2007	2007	2007	This is the year the \$/kgH2 will be reporting in (i.e 207\$)
Assumed start-up year		2010	2010	2025	2025	
Plant life (years)		20	20	20	20	Use H2A default values. If you have strong disagreement, then we can discuss.
Analysis period (years)		20	20	20	20	
Depreciation Schedule Length (years)		7	7	7	7	Use H2A default values. If you have strong disagreement, then we can discuss.
Depreciation Type		MACRS	MACRS	MACRS	MACRS	Use H2A default values. If you have strong disagreement, then we can discuss.
% Equity Financing		1	1	1	1	Use H2A default values. If you have strong disagreement, then we can discuss.
% of Fixed Operating Costs During Start-up (%)		0.75	0.75	0.75	0.75	Use H2A default values. If you have strong disagreement, then we can discuss.
% of Revenues During Start-up (%)		50%	50%	50%	50%	Use H2A default values. If you have strong disagreement, then we can discuss.
% of Variable Operating Costs During Start-up (%)		50%	50%	50%	50%	Use H2A default values. If you have strong disagreement, then we can discuss.
Decommissioning costs (% of depreciable capital investment)		10%	10%	10%	10%	Use H2A default values. If you have strong disagreement, then we can discuss.
Salvage value (% of total capital investment)		10%	10%	10%	10%	Use H2A default values. If you have strong disagreement, then we can discuss.
Inflation rate (%)		2%	2%	2%	2%	Use H2A default values. If you have strong disagreement, then we can discuss.
After-tax Real IRR (%)		10%	10%	10%	10%	Use H2A default values. If you have strong disagreement, then we can discuss.
State Taxes (%)		6%	6%	6%	6%	Use H2A default values. If you have strong disagreement, then we can discuss.
Federal Taxes (%)		35%	35%	35%	35%	Use H2A default values. If you have strong disagreement, then we can discuss.
WORKING CAPITAL (% of yearly change in operating costs)		1%	1%	1%	1%	Use H2A default values. If you have strong disagreement, then we can discuss.

Figure 10. Forecourt case questionnaire tab (continued)

CENTRAL PEM ELECTROLYSIS						
Requested inputs	Existing Available Technology (Please specify in Forecourt Case tab)	H2A Current Central (Shown for example)	Envisioned System for Current Central Case in Mature Market (2013)	H2A Future Central (Shown for example)	Envisioned System for Future Central Case in Mature Market (2025)	Notes/Comments
Annual plant manufacturing rate (assumption)		"Nth Unit" ~ 10 systems per year		"Nth Unit" ~ 10 systems per year		
Technical Parameters						
Production Equipment Availability Factor (%) (at rated power)		98%		98%		Refers to fraction of planned and unplanned equipment downtime. Size system for ~50 metric tons/day design capacity.
Plant Design Capacity (kg of H2/day)		52,300		52,300		
Single Unit Size (kg/day)		1046		1046		
System H2 Output pressure (psi)		300		300		
System O2 Output pressure (psi)		300		300		
Direct Capital Costs						
Basis year for costs		2005		2005		This is the basis year for your capital cost inputs. Use what cost data you have. Just report what year dollars you assumed.
Uninstalled Cost - (with suggested subsystem breakdown, further breakdown desirable if available)		\$384/kW		\$269/kW		
Stacks		663,600		306,257		
Hydrogen Gas Management System		229,200		211,131		
Dryers						
Gas separator						
Other H2 Gas Mgmt Sys components						
Oxygen Gas Management System						
Water Reactant Delivery Management System		138,000		126,834		
Pumps						
Demineralizer/Water treatment						
Other						
Thermal Management System		138,000		101,312		
Heat exchanger						
Other						
Power Electronics						
Controls & Sensors		31,200		27,842		
Mechanical Balance of Plant						
Item Breakdown						
Item Breakdown						
Item Breakdown						
Item Breakdown						
Installation factor (a multiplier on uninstalled cap cost)		1.2		1.2		Installation costs (if known) can also be enumerated as specific line items under Capital Costs (rather than a installation factor).
Indirect Capital Costs						
Site Preparation (\$) (may change to construction costs)		855,994 (2% installed capital)		517,247 (2% installed capital)		
Engineering & design (\$)		3,423,976 (8% installed capital)		2,068,988 (8% installed capital)		
Project contingency (\$)		6,419,956 (15% installed capital)		3,879,353 (15% installed capital)		
Up-Front Permitting Costs (\$) (legal and contractors fees included here)		6,419,956 (15% installed capital)		3,879,353 (15% installed capital)		

Figure 11. Central case questionnaire tab

Replacement Schedule					
Replacement Interval of major components (yrs)	10		10		Subsystems can have different replacement intervals. Please specify if known. Please differentiate between replacement and refurbishment as appropriate.
<i>Item Breakdown</i>					
<i>Item Breakdown</i>					
<i>Item Breakdown</i>					
Replacement cost of major components (% of installed capital)	25%		25%		Subsystems can have different replacement/refurbishment costs. Please specify if known.
<i>Item Breakdown</i>					
<i>Item Breakdown</i>					
O&M Costs-Fixed					
Yearly maintenance costs (\$/yr) (Please specify in notes types of activities)	1,283,991 (3% installed capital cost)		775,871 (3% installed capital cost)		This is material cost alone. Maintenance labor is assumed to be performed by the plant staff.
O&M Costs - Variable					
Total plant staff (total FTE's)	10		10		
Total Unplanned Replacement Capital Cost Factor (% of total direct depreciable costs/year)	0.5%		0.5%		
Feedstocks and Other Materials					
System Electricity Usage (kWh/kg H2)	50		46		Please specify stack power consumption and then BOP power consumption. Total should be total electrical consumption for entire system.
Stack at rated capacity					
Stack at 70% capacity (to correspond to winter-time low)					
BOP at rated capacity					
BOP at 70% capacity (to correspond to winter-time low)					
Process water usage (gal/kg H2)	2.939		2.939		
Cooling water usage (gal/kg H2)	293.9		293.9		
Compressed Inert Gas (Nm3/kg H2)	0.0229		0.0229		
Additional Technical Parameters					
Ramp Rates					System transient response capability.
Up Ramp Rate (system kW/seconds)					
Down Ramp Rate (system kW/seconds)					
Time to capacity from cold start (min)					
Minimum up time before can be shut down again (min)					
Minimum turn down (% max power) (Or provide efficiency curve)					
Financial Parameters					
Length of Construction Period (years)	2		2		
% of Capital Spent in 1st Year of Construction	25%		25%		
% of Capital Spent in 2nd Year of Construction	75%		75%		
% of Capital Spent in 3rd Year of Construction	0		0		
% of Capital Spent in 4th Year of Construction					
Start-up Time (years)	1		1		

Figure 11. Central case questionnaire tab (continued)

Financial Parameters cont'd (The following are H2A default values. The analysis will use these values unless explicitly changed.)						
Reference year		2007	2007	2007	2007	This is the year the \$/kgH2 will be reporting in (i.e 207\$)
Assumed start-up year		2010	2010	2025	2025	
Plant life (years)		40	40	40	40	
Analysis period (years)		40	40	40	40	Use H2A default values. If you have strong disagreement, then we can discuss.
Depreciation Schedule Length (years)		20	20	20	20	Use H2A default values. If you have strong disagreement, then we can discuss.
Depreciation Type		MACRS	MACRS	MACRS	MACRS	Use H2A default values. If you have strong disagreement, then we can discuss.
% Equity Financing		100%	100%	100%	100%	Use H2A default values. If you have strong disagreement, then we can discuss.
Interest rate on debt, if applicable (%)		0	0	0	0	Use H2A default values. If you have strong disagreement, then we can discuss.
Debt period (years)		0	0	0	0	Use H2A default values. If you have strong disagreement, then we can discuss.
% of Fixed Operating Costs During Start-up (%)		100%	100%	100%	100%	Use H2A default values. If you have strong disagreement, then we can discuss.
% of Revenues During Start-up (%)		50%	50%	50%	50%	Use H2A default values. If you have strong disagreement, then we can discuss.
% of Variable Operating Costs During Start-up (%)		75%	75%	75%	75%	Use H2A default values. If you have strong disagreement, then we can discuss.
Decommissioning costs (% of depreciable capital investment)		10%	10%	10%	10%	Use H2A default values. If you have strong disagreement, then we can discuss.
Salvage value (% of total capital investment)		10%	10%	10%	10%	Use H2A default values. If you have strong disagreement, then we can discuss.
Inflation rate (%)		2%	2%	2%	2%	Use H2A default values. If you have strong disagreement, then we can discuss.
After-tax Real IRR (%)		10%	10%	10%	10%	Use H2A default values. If you have strong disagreement, then we can discuss.
State Taxes (%)		6%	6%	6%	6%	Use H2A default values. If you have strong disagreement, then we can discuss.
Federal Taxes (%)		35%	35%	35%	35%	Use H2A default values. If you have strong disagreement, then we can discuss.
WORKING CAPITAL (% of yearly change in operating costs)		5%	5%	5%	5%	Use H2A default values. If you have strong disagreement, then we can discuss.

Figure 11. Central case questionnaire tab (continued)

Additional PEM Electrolyzer Specifications					
Stack Specifications		Existing Available Technology	Current H2A Baseline	Current Technology	Future Technology
Cell Active Area	cm ²		400		
Approx. number of cells per stack	cell/stack		150		
Nominal H ₂ outlet pressure	psi		300 psi		
Nominal O ₂ outlet pressure	psi		300 psi		
Nominal operating temperature	deg C		80		
Membrane thickness	mils		7		
Cathode Pt loading	mgPt/cm ²				
Anode Pt loading	mgPt/cm ²				
Rated cell voltage	volts/cell		1.84		
Rated cell current density	mA/cm ²		1700		
Rated stack energy consumption	kWh/kgH ₂		50		
Brief text description of cell stack components (just for documentation/reference)					
	<i>bipolar plates</i>		0.030" stamped SS316 plates with Treadstone anti-cor		
	<i>screens/spacers</i>		expanded Ti screens		
	<i>endplates</i>		sandcast/machined SS316		
	<i>pressure containment</i>		SS tierods		
	<i>cell frame</i>		rigid HDPE with PET film subgasket		
Lifetime of stack	years		10		
Stack Degradation	mV/1,000 hours		2		This can be stated
Net Hydrogen Production per stack	kg/hr/stack		3.5		
Stack Hydrogen Losses					
Membrane Permeation (back diffusion)	kg/hr/stack		0.01		
Sealing	kg/hr/stack				
Input Power Required per stack	kW/stack		180		
BOP Specifications (provide details as convenient/available)		Existing Available Technology	Current H2A Baseline	Current Technology	Future Technology
BOP Electrical Loads:					
	<i>Power Supply per stack</i> Efficiency				
	<i>Water Pump per stack</i> kWh/kgH ₂				
	<i>Flow Meters/Controls/Sensors</i> kWh/kgH ₂				
	<i>O₂ Gas Separator</i> kWh/kgH ₂				
	<i>H₂ Gas Separator</i> kWh/kgH ₂				
	<i>H₂ Dryer</i> kWh/kgH ₂				
	<i>Other</i> kWh/kgH ₂				
H ₂ Losses:					
	<i>H₂ Gas Separator</i> kg/hr/stack		0.004		
	%		0.1%		
	<i>Dryers per stack</i> kg/hr/stack		0.02		
	%		3.0%		
	<i>Other</i> kg/hr/stack				
	%				
Key Technology Bottlenecks/Issues					
(provide details as convenient/available, examples in blue)	Existing Available Technology	Current technology for central size in mature market	Current technology for forecourt size in mature market	Future technology for central size in mature market	Future technology for forecourt size in mature market
		capital cost of stacks price of electricity kWh/kgH ₂ of electrolysis capital cost vs. efficiency tradeoff lifetime Pt catalyst loading		pressure vs. efficiency tradeoff	pressure vs. efficiency tradeoff

Figure 12. Additional Technical Detail questionnaire tab